



B

PATENT APPLICATION
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of:

Attorney Docket No.: 3619.14US01

Aadu Mirme

Confirmation No.: 1097

Application No.: 10/765,740

Examiner: Marina Kramskaya

Filed: January 27, 2004

Group Art Unit: 2858

For: INTEGRATING ELECTROMETER AMPLIFYING CIRCUIT

PATENT TERM ADJUSTMENT LETTER OF CANDOR AND GOOD FAITH

Mail Stop ISSUE FEE
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The attention of the Office is directed to the Patent Term Adjustment reported by the Office for the instant case. The reported PTA of 84 days is thought by Applicant to be at least 31 days longer than appropriate, due to a reduction not applied for the Supplemental Information Disclosure Statement Filed on October 31, 2005. Applicant respectfully requests that the Office verify and confirm the applied PTA before issuance of the patent.

Respectfully submitted,

Stuart J. Olstad
Registration No. 58,106

Customer No. 24113
Patterson, Thunte, Skaar & Christensen, P.A.
4800 IDS Center
80 South 8th Street
Minneapolis, Minnesota 55402-2100
Telephone: (612) 252-1551



Please grant any extension of time necessary for entry; charge any fee due to Deposit Account No. 16-0631.

CERTIFICATE OF MAILING

I hereby certify that this document is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

01 DEC 2006

Date of Deposit

Stuart J. Olstad
Stuart J. Olstad